INDUSTRIAL COMPONENT DATA

8WH2000-0AE03 SIEMENS Through-type terminals with spring-loaded connection, Cross-section: 1.5 mm2, Width: 4..

Brand: SIEMENS | Manufacturer Part Number: 8WH2000-0AE03

Manufacturer	SIEMENS
MPN / Reference	8WH2000-0AE03
Catalog number	20000
Category	Feed-through terminal block
Minimum order	50 Pcs
Document ID	EO-365E780821
Generated	2026-08-03

Product Overview

Through-type terminals with spring-loaded connection, Cross-section: 1.5 mm2, Width: 4.2mm, Color: green
PASSAGE TERMINAL WITH SPRING CONNECTION, SECTION: 1.5 SQMM, WIDTH: 4.2 MM, COLOR: GREEN (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Cancelations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals

Additional Product Information

Technical data
Through-type terminals with spring-loaded connection, Cross-section: 1.5 mm2, Width: 4.2mm, Color: green
Model
product brand name SENTRON
product designation ALPHA FIX terminal blocks
design of terminal / terminal levels internally linked No
General technical data
terminal contact spacing 4 mm
operating voltage / rated value 500 V
Protection class
combustibility class according to UL 94 V0
Main circuit

operational current / rated value 18 A
Appearance
color green
Product details
product component / required / end cover plate No
Number
number of terminal levels 1
number of terminal points / per terminal level 2
Connections
stripped length 10 mm
connectable conductor cross-section / solid
? minimum 1.5 mm²
? maximum 1.5 mm²
connectable conductor cross-section / stranded
? minimum 1.5 mm²
? maximum 1.5 mm²
connectable conductor cross-section / finely stranded
? with core end processing / minimum 1.5 mm²
? with core end processing / maximum 2 mm²
? without core end processing / minimum 1.5 mm²
? without core end processing / maximum 1.5 mm²
type of connection
? 1 spring-loaded terminal
? 2 spring-loaded terminal
position / of the terminal top
Mechanical Design
fastening method DIN rail 35 mm
net weight 5 g
material / of the insulating body Other
Environmental conditions
ambient temperature / during operation
? minimum -25 °C
? maximum 55 °C
Downloads and manuals
General Product Approval Declaration of Conformity other
Confirmation
Miscellaneous
Further information...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH2000-0AE03 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.