

INDUSTRIAL COMPONENT DATA

8WH6000-0AM01 SIEMENS N through-type terminal 35 mm² IPO connection Terminal width 16 mm blue closed on both..

Brand: SIEMENS | Manufacturer Part Number: 8WH6000-0AM01



Manufacturer	SIEMENS
MPN / Reference	8WH6000-0AM01
Catalog number	60000
Category	Feed-through terminal block
Minimum order	10 Pcs
Document ID	EO-C5DB7678DE
Generated	2026-08-04

Product Overview

N through-type terminal 35 mm² IPO connection Terminal width 16 mm blue closed on both ends
Terminal block N 35MM² IPO technology wide 16MM Blue with both sides closed (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 10 Units **). Cancellations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals
--------------	---

Additional Product Information

Technical data

N through-type terminal 35 mm² IPO connection Terminal width 16 mm blue closed on both ends

Model

product brand name SENTRON

product designation ALPHA FIX terminal blocks

General technical data

terminal contact spacing 16 mm

operating voltage / rated value 1 000 V

Protection class

combustibility class according to UL 94 V0

Main circuit

operational current / rated value 125 A

Appearance

color blue

Product details

product component / required / end cover plate Yes

Number

number of terminal levels 1

number of terminal points / per terminal level 2

Connections

stripped length 25 mm

connectable conductor cross-section / solid

? minimum 6 mm²

? maximum 35 mm²

connectable conductor cross-section / stranded

? minimum 6 mm²

? maximum 35 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 6 mm²

? with core end processing / maximum 35 mm²

? without core end processing / minimum 6 mm²

? without core end processing / maximum 35 mm²

type of connection

? 1 plug terminal connection

? 2 plug terminal connection

position / of the terminal top

Mechanical Design

height / with lowest-profile installation 62.3 mm

length 92 mm

fastening method DIN rail 35 mm

net weight 83 g

material / of the insulating body Thermoplast

Environmental conditions

ambient temperature / during operation

? maximum 55 °C

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirmation

Miscellaneous

Further information

Information- and Do...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6000-0AM01 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.