

INDUSTRIAL COMPONENT DATA

8WH6000-0AQ00 SIEMENS through-type terminal, 95mm2 iPo plug-in terminal gray

Brand: SIEMENS | Manufacturer Part Number: 8WH6000-0AQ00



Manufacturer	SIEMENS
MPN / Reference	8WH6000-0AQ00
Catalog number	60000
Category	Feed-through terminal block
Minimum order	10 Pcs
Document ID	EO-F0565D5EB3
Generated	2026-08-05

Product Overview

through-type terminal, 95mm2 iPo plug-in terminal gray

PASSAGE TERMINAL, 95mm2 PLUG-IN TYPE IPO GRAY (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 10 Units **). Cancelations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

through-type terminal, 95mm2 iPo plug-in terminal gray

Model

product brand name SENTRON

product designation ALPHA FIX terminal block

design of terminal / terminal levels internally linked No

General technical data

terminal contact spacing 25 mm

operating voltage / rated value 1 500 V

Protection class

combustibility class according to UL 94 V0

Main circuit

operational current / rated value 232 A

Appearance

color grey

Product details

product component / required / end cover plate No

Number

number of terminal levels 1

number of terminal points / per terminal level 2

Connections

stripped length 40 mm

connectable conductor cross-section / solid

? minimum 25 mm²? maximum 95 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 25 mm²? with core end processing / maximum 95 mm²? without core end processing / minimum 25 mm²? without core end processing / maximum 95 mm²

type of connection

? 1 plug terminal connection

? 2 plug terminal connection

position / of the terminal lateral

Mechanical Design

height 108.7 mm

height / with lowest-profile installation 108.7 mm

depth 105.5 mm

length 101 mm

fastening method DIN rail 35 mm

net weight 157 g

material / of the insulating body Thermoplast

Environmental conditions

ambient temperature / during operation

? minimum -25 °C

? maximum 55 °C

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirmation**Miscellaneous****Further information****Information- and Downl...**

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6000-0AQ00 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.