

INDUSTRIAL COMPONENT DATA

8WH6000-1KG38 SIEMENS Fuse terminal 5x 20 mm 4 mm2, 6.2 mm wide black 24 V LED

Brand: SIEMENS | Manufacturer Part Number: 8WH6000-1KG38



Manufacturer	SIEMENS
MPN / Reference	8WH6000-1KG38
Catalog number	60001
Category	Fuse terminal block
Minimum order	50 Pcs
Document ID	EO-513F29CE05
Generated	2026-08-05

Product Overview

Fuse terminal 5x 20 mm 4 mm2, 6.2 mm wide black 24 V LED

SECURITY TERMINAL 5X20MM 4 MM2, 6.2 MM WIDE BLACK 24V LED (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Cancelations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals
--------------	---

Additional Product Information

Technical data

Fuse terminal 5x 20 mm 4 mm2, 6.2 mm wide black 24 V LED

Model

product brand name ALPHA

type of light source / as defect indicator LED

design of the fuse link glass fuse 5x20 mm

design of fuse holder pluggable

General technical data

insulation material thermoplastic

terminal contact spacing 6.2 mm

Supply voltage

operating voltage / rated value 500 V

type of voltage / for supply of the defect indicator AC/DC

Protection class

combustibility class according to UL 94 V0

Main circuit

operational current / rated value 6.3 A

Appearance

color black

Product details

product component / required / end cover plate Yes

Number

number of terminal levels 1

Connections

stripped length 12 mm

connectable conductor cross-section / solid

? minimum 0.2 mm²

? maximum 6 mm²

connectable conductor cross-section / stranded

? minimum 0.25 mm²

? maximum 4 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.25 mm²

? with core end processing / maximum 4 mm²

? without core end processing / minimum 0.2 mm²

? without core end processing / maximum 4 mm²

type of connection

? 1 Plug-in terminal connection

? 2 Plug-in terminal connection

position / of the terminal top

Mechanical Design

height / with lowest-profile installation 62.5 mm

length 56 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplast

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirmation**Miscellaneous****Further information**

Infor...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6000-1KG38 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.