

INDUSTRIAL COMPONENT DATA

8WH6001-4FF00 SIEMENS Installation terminal PE, L, NT 2.5 mm2, 5.2 mm width gray

Brand: SIEMENS | Manufacturer Part Number: 8WH6001-4FF00



Manufacturer	SIEMENS
MPN / Reference	8WH6001-4FF00
Catalog number	60014
Category	Multi level installation terminal block
Minimum order	50 Pcs
Document ID	EO-3D7C24B8A2
Generated	2026-08-05

Product Overview

Installation terminal PE, L, NT 2.5 mm2, 5.2 mm width gray

TERMINAL OF PASSAGE INSTAL PE,L,NT 2,5 MM2, 5,2 MM WIDTH GRAY (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Cancelations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals
--------------	---

Additional Product Information

Technical data

Installation terminal PE, L, NT 2.5 mm2, 5.2 mm width gray

Model

product brand name ALPHA

General technical data

insulation material thermoplastic

terminal contact spacing 5.2 mm

operating voltage / rated value 400 V

Protection class

combustibility class according to UL 94 V0

Main circuit

operational current / rated value 24 A

Appearance

color / of the insulating body gray

Product details

? product function / N function No

? product feature / N separation slides Yes

? product function / PE function Yes

product component

? required / end cover plate Yes

? test separator No

Number

number of potentials 3

Connections

stripped length 10 mm

connectable conductor cross-section / solid

? minimum 0.14 mm²

? maximum 4 mm²

connectable conductor cross-section / stranded

? minimum 0.14 mm²

? maximum 2.5 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.14 mm²

? with core end processing / maximum 2.5 mm²

? without core end processing / minimum 0.14 mm²

? without core end processing / maximum 2.5 mm²

type of connection

? 1 plug terminal connection

? 2 plug terminal connection

position / of the terminal top

Mechanical Design

height / with lowest-profile installation 50.5 mm

length 101 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplastic

Environmental conditions

ambient temperature / during operation

? maximum 55 °C

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirm...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6001-4FF00 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.