

**INDUSTRIAL COMPONENT DATA**

# 8WH6003-0DF04 SIEMENS Infeed terminal 1.5 mm2 for 3-wire orange

Brand: SIEMENS | Manufacturer Part Number: 8WH6003-0DF04



|                 |                                |
|-----------------|--------------------------------|
| Manufacturer    | SIEMENS                        |
| MPN / Reference | 8WH6003-0DF04                  |
| Catalog number  | 10000                          |
| Category        | Sensor/actuator terminal block |
| Minimum order   | 50 Pcs                         |
| Document ID     | EO-CD75F2D2C4                  |
| Generated       | 2026-08-04                     |

## Product Overview

Infeed terminal 1.5 mm2 for 3-wire orange

Installation terminal 1.5 mm2, for 3 threads orange. Cancellations and returns limited. Consult conditions.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

## Additional Product Information

Technical data

Infeed terminal 1.5 mm2 for 3-wire orange

Model

product brand name Sentron

product designation Infeed terminal

design of the product For 3-wire orange

design of LED initiator/actuator terminal No

design of terminal / terminal levels internally linked No

General technical data

insulation material thermoplastic

terminal contact spacing 7 mm

operating voltage / rated value 250 V

Protection class

combustibility class according to UL 94 V2

**Main circuit**

operational current / rated value 20 A

**Appearance**

color Orange

? of the light source Orange

**Product details**

product function / infeed function Yes

product component

? required / end cover plate No

? PE connection No

? shield connection No

? disconnecter No

product feature / cross-connectable Yes

**Number**

number of terminal levels 3

**Connections**

connectable conductor cross-section / solid

? minimum 0.2 mm<sup>2</sup>? maximum 2.5 mm<sup>2</sup>

connectable conductor cross-section / stranded

? minimum 0.2 mm<sup>2</sup>? maximum 2.5 mm<sup>2</sup>

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.2 mm<sup>2</sup>? with core end processing / maximum 2.5 mm<sup>2</sup>? without core end processing / minimum 0.2 mm<sup>2</sup>? without core end processing / maximum 2.5 mm<sup>2</sup>**type of connection**

? 1 Plug-in terminal

? 2 Plug-in terminal

position / of the terminal top

**Mechanical Design**

height 41.5 mm

height / with lowest-profile installation 41.5 mm

length 74.4 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplast

Downloads and man...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6003-0DF04 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.