

INDUSTRIAL COMPONENT DATA

8WH6004-0HE04 SIEMENS Input terminals 1.5 mm2, for 4-wire Orange, including PE

Brand: SIEMENS | Manufacturer Part Number: 8WH6004-0HE04



Manufacturer	SIEMENS
MPN / Reference	8WH6004-0HE04
Catalog number	10000
Category	Sensor/actuator terminal block
Minimum order	50 Pcs
Document ID	EO-F9624CEF9A
Generated	2026-08-03

Product Overview

Input terminals 1.5 mm2, for 4-wire Orange, including PE

Installation terminal 1.5 mm2, for 4 orange wires, including PE. Cancellations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

Input terminals 1.5 mm2, for 4-wire Orange, including PE

Model

product brand name Sentron

product designation Infeed terminal

design of the product For 4-wire orange, including PE

design of LED initiator/actuator terminal No

design of terminal / terminal levels internally linked No

General technical data

insulation material thermoplastic

terminal contact spacing 7 mm

operating voltage / rated value 250 V

Protection class

combustibility class according to UL 94 V2

Main circuit

operational current / rated value 20 A

Appearance

color Orange

? of the light source Orange

Product details

product function / infeed function Yes

product component

? required / end cover plate No

? PE connection Yes

? shield connection Yes

? disconnecter No

product feature / cross-connectable Yes

Number

number of terminal levels 4

Connections

connectable conductor cross-section / solid

? minimum 0.2 mm²? maximum 2.5 mm²

connectable conductor cross-section / stranded

? minimum 0.2 mm²? maximum 2.5 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.2 mm²? with core end processing / maximum 2.5 mm²? without core end processing / minimum 0.2 mm²? without core end processing / maximum 2.5 mm²

type of connection

? 1 Plug-in terminal

? 2 Plug-in terminal

position / of the terminal top

Mechanical Design

height 41.5 mm

height / with lowest-profile installation 41.5 mm

length 90.8 mm

fastening method DIN rail 35 mm

material / of the insulating bod...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WH6004-0HE04 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.