

INDUSTRIAL COMPONENT DATA

374002 TEGUI TG/T/S7-HOSE PLATES

Brand: TEGUI | Manufacturer Part Number: 374002



Manufacturer	TEGUI
MPN / Reference	374002
Catalog number	374002
Category	Power cable less 1 kV, for moving application
Minimum order	1 Pcs
Document ID	EO-B691230F84
Generated	2026-08-01

Product Overview

TG/T/S7-HOSE PLATES

Bticino Video Entrance Panel with 10" Touch Display and Key Fob Reader

Digital plate connection hose SERIES 7

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **TEGUI > PLATES AND DOOR PHONES EQUIPMENT**

Additional Product Information

Number of call buttons 0

Material front Other

Front plate height 430 mm

Front plate width 195 mm

Built-in height 415 mm

Built-in width 184 mm

Built-in depth 60 mm

Mounting method Flush-mounted

Installation technique Network technology

Modular construction No

Colour Silver

Degree of protection (IP) IP54

degree of impact strength (IK) IK07

Operating / setting temperature -40-70 °C

Storage temperature -40-70 °C
Voltage type DC
Nominal voltage 24-24 V
Supply current 0.65-0.65 A
Halogen free Yes
Cable nature for connection Flexible or rigid
Cable section 0.8-0.8 mm²
Label space/information surface No
Fitted with rainproof plate protection No
With complementary luminous signal No
Contains Batteries and/or Accumulator No
Hands free Yes
Loudness setting Yes
Addressable Yes
Door entry system with mobile application No
Remote opening of gate / Electric door opener Yes
Camera type Night vision
Video recorder angle 80 °
Communication rank type Other
Connected object Yes
Operating method Network
Application store for download App Store , Google Play Store
With voice command No
Programmable Yes
Programming way Web software
Connectable by Internet box No
Application name Home + Security
Product use function Door entry systems
ETIM for 374002 Cable (EC003250)
Feature Name
Feature Value
Reaction-to-fire according to EN 13501-6: Flaming droplets/particles (EF011579)
None
Cable height approx. (EF003797)
12 mm
Reaction-to-fire according to EN 13501-6: Smoke production (EF011578)
None
Reaction-t...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send TEGUI / 374002 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.