

INDUSTRIAL COMPONENT DATA

FPW38 7TAI029030R0032 THOMAS AND BETTS INSULATION WASHER 3.8 INCHES

Brand: THOMAS AND BETTS | Manufacturer Part Number: FPW38



Manufacturer	THOMAS AND BETTS
MPN / Reference	FPW38
Catalog number	7TAI029030R0032
Category	Lock washer
Minimum order	250 Pcs
Document ID	EO-184CFF298F
Generated	2026-08-03

Product Overview

INSULATION WASHER 3.8 INCHES
INSUL PIERCING WASHER CU 3/8 STUD

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path THOMAS AND BETTS > Terminals

Additional Product Information

Extended Product Type:FPW38
Product ID:7TAI029030R0032
EAN:5414363113362
Catalog Description:INSUL PIERCING WASHER CU 3/8 STUD
Long Description:Insulation Piercing Washer, Outer Diameter 25.4mm (1.0 Inch), Inner Diameter 10.9mm (0.43 Inch), Stud Size 3/8 Inch, Copper Alloy, Tin Plated
Ordering
EAN:5414363113362
Dimensions
Product Net Length:0, mm
Container Information
Package Level 1 Units:250 piece
Package Level 1 Width:3 in
76 mm

Package Level 1 Height:3 in

76 mm

Package Level 1 Depth / Length:3.5 in

89 mm

Package Level 2 Units:2500 piece

Package Level 2 Width:7.5 in

191 mm

Package Level 2 Height:3.5 in

89 mm

Package Level 2 Depth / Length:16.5 in

419 mm

Additional Information

Application:Enables copper to aluminum connections to be made in a bolted joint without the use of inhibiting compounds.

Brand / Label:Sta-Kon

Effective Date:19890303

Inside Diameter:0.43 in

10.9 mm

Material:Copper

Number of Batteries:0

Outside Diameter:1.0 in

25.4 mm

Product Name:COPPER WASHER

Product Type:Transition Washer

Special Functions:Accommodates the difference in thermal expansion between copper and aluminum and enhances the efficiency of bolted grounding connections.

Standards:UL E9809

Suitable For:3/8 Inch

Surface Finishing:Tin Plated

Thickness:0.035 in

0.89 mm

UPC:786210709963

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:FPW38

Instructions and Manuals:FPW38

Classifications

ETIM 6:EC002345 - Serrated lock washer

ETIM 7:EC002345 - Serrated lock washer

U...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send THOMAS AND BETTS / FPW38 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.