

**INDUSTRIAL COMPONENT DATA**

# PAFL21-S/BL/50M 7TCA296000R2120 THOMAS AND BETTS LIGHT WGT SPLIT COND BLK 50M

Brand: THOMAS AND BETTS | Manufacturer Part Number: PAFL21-S/BL/50M



|                 |                         |
|-----------------|-------------------------|
| Manufacturer    | THOMAS AND BETTS        |
| MPN / Reference | PAFL21-S/BL/50M         |
| Catalog number  | 7TCA296000R2120         |
| Category        | Corrugated plastic hose |
| Minimum order   | 50 m.                   |
| Document ID     | EO-8BF276CD3E           |
| Generated       | 2026-08-03              |

## Product Overview

LIGHT WGT SPLIT COND BLK 50M  
OPEN TUBE PA6, DN21, NW17, BLACK  
21MM SLIT PA6 CONDUIT 50M - BL

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      THOMAS AND BETTS &gt; Adaptaflex cable protection and cable gland

## Additional Product Information

**Ordering**

EAN: 5020963025068

Customs Tariff Number: 3926909990

**Dimensions**

Product Net Weight: 4.91 lb

2.227 kg

**Container Information**

Package Level 1 Units: 1 piece

Package Level 1 Width: 17 in

432 mm

Package Level 1 Height: 17 in

432 mm

Package Level 1 Depth / Length: 17 in

432 mm

Package Level 2 Units: 1 piece

Package Level 2 Width: 37 in

940 mm

Package Level 2 Height: 17 in

432 mm

Package Level 2 Depth / Length: 17 in

432 mm

Package Level 3 Units: 10 piece

Package Level 3 Width: 37 in

940 mm

Package Level 3 Height: 17 in

432 mm

Package Level 3 Depth / Length: 17 in

432 mm

Additional Information

Application: Retrofit Over Pre-Routed Cables

Brand / Label: Adaptaflex

Color: Black

Flexibility: High

Inside Diameter: 16.8 mm

Material: Polyamide/Nylon 6

Nominal Size: 21 mm

Number of Batteries: 0

Outside Diameter: 21.2 mm

Product Name: "flexible conduit, nylon"

Product Type: Lightweight Conduit with Fine Pitch

Radius: 45 mm

Special Functions: Very High UV Protection and Fatigue Life

UPC: 786210241951

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: PAFL21-S/BL/50M

Declaration of Conformity - CE: 9AKK107492A9618

Instructions and Manuals: PAFL21-S/BL/50M

Classifications

ETIM 6: EC001175 - Corrugated plastic hose

ETIM 7: EC001175 - Corrugated plastic hose

UNSPSC: 39131706

WEEE Category: Product Not in WEEE Scope

IDEA Granular Category Code (IGCC): 5535 >> Electrical conduit

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send THOMAS AND BETTS / PAFL21-S/BL/50M with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.