

INDUSTRIAL COMPONENT DATA

TY234MX-RW 7TAG009050R0005 THOMAS AND BETTS
TY234MX FOR RAILWAY

Brand: THOMAS AND BETTS | Manufacturer Part Number: TY234MX-RW



Manufacturer	THOMAS AND BETTS
MPN / Reference	TY234MX-RW
Catalog number	7TAG009050R0005
Category	Cable tie
Minimum order	1000 Pcs
Document ID	EO-4E7E5D77F3
Generated	2026-08-04

Product Overview

TY234MX FOR RAILWAY
BRIDA TYRAP 356x2,3 RAIL

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path THOMAS AND BETTS > Cable management flanges

Additional Product Information

Extended Product Type:TY234MX-RW

Product ID:7TAG009050R0005

EAN:5415022260533

Catalog Description:TY234MX FOR RAILWAY

Long Description:Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F) for Railway, Weather and Ultraviolet Resistant, Length of 355.6mm (14.0 Inches), Width of 2.4mm (0.09 Inch), Thickness of 1.0mm (0.039 Inch), Minimum Bundle Diameter 1.5mm (0.06 Inch), Maximum Bundle Diameter 102mm (4 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering

EAN:5415022260533

UPC:786209801470

Country of Origin:United States (US)

Selling Unit of Measure:each

Dimensions

Product Net Width:0.09in

2.4 mm

Product Net Depth / Length:14in

356 mm

Container Information

Package Level 1 Units:1000 piece

Package Level 1 Width:3 in

76 mm

Package Level 1 Height:19 in

483 mm

Package Level 1 Depth / Length:14 in

356 mm

Package Level 2 Units:10000 piece

Package Level 2 Width:9.37 in

238 mm

Package Level 2 Height:19.75 in

502 mm

Package Level 2 Depth / Length:11.5 in

292 mm

Technical UL/CSA

Flammability According to UL94:V-2

Additional Information

Brand / Label:Ty-Rap

Bundle Diameter:0.06 to 4.02 in

1.6 to 102 mm

Color:Black

Effective Date:20130927

Lock Type:Stainless Steel Barb

Material:Nylon/Polyamide 6.6

Product Name:PLASTIC CABLE TIE

Product Type:Railway

Standards:UL E49405

Tensile Strength:18 lb

80 N

Thickness:0.039 in

1 mm

Certificates and Declarations

Data Sheet, Technical Information:TY234MX-RW

Declaration of Conformity - CE:9AKK107492A98...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send THOMAS AND BETTS / TY234MX-RW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.