

INDUSTRIAL COMPONENT DATA

TY525MR-NDT 7TCG009330R0026 THOMAS AND BETTS
TYRAP FLANGE 186x4.8 DETECTABLE PA

Brand: THOMAS AND BETTS | Manufacturer Part Number: TY525MR-NDT



Manufacturer	THOMAS AND BETTS
MPN / Reference	TY525MR-NDT
Catalog number	7TCG009330R0026
Category	Cable tie
Minimum order	100 Pcs
Document ID	EO-A2B6951670
Generated	2026-08-03

Product Overview

TYRAP FLANGE 186x4.8 DETECTABLE PA

TYRAP DETECTABLE BLUE 222N

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path THOMAS AND BETTS > Cable management flanges

Additional Product Information

Extended Product Type:TY525MR-NDT

Product ID:7TCG009330R0026

EAN:5415022507003

Catalog Description:TYRAP DETECTABLE BLUE 200N

Long Description:Detectable Cable Tie, Bright Blue Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 186mm (7.3 Inches), Width of 4.6mm (0.18 Inch), Thickness of 1.1mm (0.04 Inch), Tensile Strength Rating of 200 Newtons (45 Pounds)

Ordering

E-Number (Finland):1381540

EAN:5415022507003

Dimensions

Product Net Width:0.18in

4.6 mm

Product Net Depth / Length:7.3in

186 mm

Container Information

Package Level 1 Units:100 piece

Package Level 1 Width:5.1 in

130 mm

Package Level 1 Height:0.78 in

20 mm

Package Level 1 Depth / Length:11 in

279 mm

Package Level 2 Units:10000 piece

Package Level 2 Width:15.72 in

399 mm

Package Level 2 Height:11.8 in

300 mm

Package Level 2 Depth / Length:23.18 in

589 mm

Additional Information

Brand / Label:Ty-Rap

Bundle Diameter:3 to 45 mm

Color:Blue

Effective Date:20191119

Lock Type:Stainless Steel Barb

Material:Nylon/Polyamide 6.6

Number of Batteries:0

Product Main Type:PERFORMANCE CABLE TIES AND ACCESSORIES

Product Name:OTHER PLASTICS ITEMS

Product Type:Detectable

Special Functions:Detectable by metal detectors, X-ray equipment, or visual detection.

Tensile Strength:45 lb

200 N

Thickness:0.04 1.1 mm in

UPC:786210334608

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:TDS000516

Instructions and Manuals:TY525MR-NDT

Classifications

ETIM 6:EC0000...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send THOMAS AND BETTS / TY525MR-NDT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.