


INDUSTRIAL COMPONENT DATA

7TAG009620R0002 THOMAS AND BETTS CABLE TIE 50LB 7IN AQUAMARINE ETFE

Brand: THOMAS AND BETTS | Manufacturer Part Number: TYZ25M



Manufacturer	THOMAS AND BETTS
MPN / Reference	TYZ25M
Catalog number	7TAG009620R0002
Category	Cable tie
Minimum order	1000 Pcs
Document ID	EO-74B70F3DD4
Generated	2026-08-05

Product Overview

CABLE TIE 50LB 7IN AQUAMARINE ETFE
BRIDA TYRAP 186x4,3 FLUOROPOL AQUAMARINE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	THOMAS AND BETTS > Cable management flanges
--------------	---

Additional Product Information

Extended Product Type:TYZ25M

Product ID:7TAG009620R0002

EAN:5414363068136

Catalog Description:CABLE TIE 50LB 7IN AQUAMARINE ETFE

Long Description:High Performance Cable Tie, Aquamarine Fluoropolymer ETFE for Temperatures up to 150 Degrees Celsius (302 F), Length of 185mm (7.3 Inches), Width of 4.3mm (0.17 Inch), Thickness of 1.8mm (0.07 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds), Bulk Pack

Ordering

E-Number (Finland):1381488

EAN:5414363068136

UPC:786210839882

Country of Origin:United States (US)

Selling Unit of Measure:each

Dimensions

Product Net Width:0.17in

4.3 mm

Product Net Depth / Length:7.3in

185 mm

Container Information

Package Level 1 Units:1000 piece

Package Level 1 Width:8.8 in

224 mm

Package Level 1 Height:5.1 in

130 mm

Package Level 1 Depth / Length:11.3 in

287 mm

Package Level 2 Units:5000 piece

Package Level 2 Width:11.95 in

304 mm

Package Level 2 Height:9.9 in

251 mm

Package Level 2 Depth / Length:20 in

508 mm

Technical UL/CSA

Flammability According to UL94:V-0

Additional Information

Brand / Label:Ty-Rap

Bundle Diameter:0.25 to 1.75 in

6.4 to 44.5 mm

Color:Aqua

Effective Date:19720613

Lock Type:Stainless Steel Barb

Material:Fluoropolymer ETFE

Product Name:NYLON CABLE TIES AND ACCESSORIES

Product Type:Radiation Resistant

RoHS Date:9AKK107991A8362

Standards:UL E49405

Tensile Strength:50 lb

222 N

Thickness:0.07 in

1.8 mm

Certificates and Declarations

Data Sheet, Technical Information:TDS000517

Classifications

ETIM 6:EC000046 - Cable tie

ETIM 7:EC00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send THOMAS AND BETTS / TYZ25M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.